United States Department of the Interior Heritage Conservation and Recreation Service

National Register of Historic Places Inventory—Nomination Form

3-	1666 B-1667 02
	EASEMENT82

For HCRS use only

received

date entered

1. Nam	e				*	
historic	B/1666	B1661		X		
and/or on man-	6/1-					
and/or common		and 16 Eas	t Chase Stree	t		
2. Loca	ation					2
street & number	10, 12, 14,	and 16 Eas	t Chase Stree	t .	not for pul	olication
city, town	Baltimore		vicinity of	congressional district	Third	
state	Maryland	code 24	county	Baltimore City	code	510
3. Clas	sification	1				
Category district _X_ building(s) structure site object	Ownership public private both Public Acquisitio in process being consider	u w Acce X y	occupied inoccupied ork in progress ssible es: restricted es: unrestricted	Present Use agricultureX commercial educational entertainment government industrial military	museu park private religion scienti transpo	residence us fic ortation
treet & number	L. Green, Jr.,	Franklin I	R. Foster			
ity, town	Baltimore		_ vicinity of	state	Maryland	21202
5. Loca	tion of L	egal De	escriptio	n		
ourthouse, regis	try of deeds, etc.	Baltimore	City Court Ho	ouse, Land Records		
treet & number		Calvert &	Fayette Stree	et		
ity, town		Baltimore		state	Maryland	21202
6. Repr	esentatio		xisting S			
			Alothing t	Juli Voyo		
tle			has this prop	erty been determined el	egible? y	es no
ate				federal sta	te county	loca
epository for sur	vev records	~~~~				
	tel records					

7. Description

B-1666 & B 1667

Condition excellent	deteriorated	Check one unaltered	Check one _X_ original s	site	
X good fair	ruins unexposed	x_altered (interior o	only)	date	

Describe the present and original (if known) physical appearance

10 East Chase Street

This 3½-story brick townhouse, laid in common bond, has a three-bay front facade and is fitted with marble facing from ground to first floor level. The same marble is used for the entrance stoop and stairway, door framing, and window sills. Plain brick jack arches are above each window, and each row of windows decreases in height with each successive story rise. The most prominent feature of the house is a decoratively shingled mansard roof with three round-headed windows set into it. These windows are framed by projecting arched moldings above, decorative flat brackets at upper and lower sides, and projecting sills below.

The two basement windows have ornamental cast-iron grills. Two-over-two light sash are used in all other windows of the house, although storm windows have been added. The simple side entrance is enhanced by a shallow-arched marble frame and wooden double-door with arched transom, which opens into a vestibule. A flattened but extremely wide cornice appears to have resulted from later alterations.

Ground Level - Entrance to the first floor is obtained via six marble steps, through a mahogany glazed double door into a vestibule with a tile floor and a large mahogany door into the first floor. Flooring on this level is oak parquet. To the left is a large room with ceiling-to-floor windows facing Chase Street, a fireplace with a simple wood mantel and marble facing around the opening. There is a powder room and another small room, and a large room in the rear with a similar fireplace. There is another powder room to the rear. There is an enclosed stair from this area to the ground level and a rear servants' stair to the top floor. The main stairway and balustrade is directly inside the front door. Ceiling height is 14 feet.

Second Floor - the second floor consists of a large front room, with a simple mantel and fireplace framed with Italian marble and a full bathroom. The middle room, containing another fireplace and bathroom, is entered from the hall. The rear room is identical to the front room, with a fireplace and mantel and a full bathroom. Ceiling height is 14 feet.

This row of three identical 3½-story, two-bay houses (12-14-16 East Chase Street) is constructed of green serpentine marble with contrasting stone detail; it dates from circa 1870-75. The main floor of each is entered from a high flight of marble steps leading to a pointed-arched, transomed doorway with double door, each fitted with a single pane of vertical beveled glass. Above the ground level entranceways, whichare separated from the street by decorative iron rails, are shallow projecting balconies with identical iron rails supported by three stone brackets (the balcony to #16 has been removed). Opening onto each balcony are two narrow, triple-hung windows with 1/1/1 lights, surmounted by triangular transoms. These pairs of windows are separated by a stone pier capped by what is, roughly, a diamond-shaped stone inset, decorated with a carved quatrefoil at the center. These pairs are surrounded by a bold, shallowly projecting pointed arch, the ends of which drop to meet a thin, horizontal, projecting molding, which links the system of arches to the hood-moulds of each main entranceway. Other features of the entranceways include chamfered engaged side posts which support tympanums repeating the carved quatrefoil ornament.

UNITED STATES DEPARTMENT OF THE INTERIOR HERITAGE CONSERVATION AND RECREATION SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR	HCRS	USE	ONLY			
RECE	IVED					
DATE	ENT	RED.		•		

10, 12, 14, and 16 East Chase Street Baltimore City

CONTINUATION SHEET Maryland

ITEM NUMBER 7 PAGE 1

DESCRIPTION, continued

Second story windows have double-hung sash with 2/2 lights. The six windows are individually surrounded with stone frames flush with the facade. Shallow trefoilarched and pointed lintels with exaggerated keystones project from the facade and are linked by a course of stone. Flattened, triangular panels with floral decoration fill in the central arc below each lintel at the window surface level. The third story windows are similarly individually framed, having pointed, arches which project at equal distance with a course of stone. Double-hung windows with 2/2 lights are topped with flat, triangular transoms.

The elaborate cornice, which returns on the detached end of the row, reinforces the pattern of the bays with double sets of spindle brackets separating the six trefoil cutouts above each window bay. At the attic level, six distinctive hipped-roofed dormers have double-hung sash with 2/2 lights and triangular transom, above which are a pair of stubby brackets. Decorative shingling on the mansar roofs is carried to the jerkinhead of each dormer, where quatrefoils are picked out in shingling material. Cast-iron floral finials terminate each dormer peak. A band of decorative ironwork, making use of the quatrefoil as the chief element in an ornamental motif, completes the composition at roofline.

Third and Fourth Floors - The third floor is identical to the second floor, and the fourth floor, which was the servants' quarters, contains three bedrooms and two baths, which are entered from a smaller hallway. There is a large skylight over the stairwell. Access to the roof is obtained through a ladder and trap door.

In all four buildings, the original interior trim and fixtures have been retained. On the first floor levels, the graceful archways and corner niches are in their original condition. Elaborate balustrades and hand-turned spindles have been restored or replaced.

The typical ceiling molding of this period is still intact. Where louvered interior window shutters and lead pane windows, as well as stained glass windows exist, they have been faithfully restored. These buildings were constructed at the same time, and their floor plans are almost identical. Following is the descriptio of a typical building.

Basement - The basement is reached by a stairway three-quarters of the way toward the rear of the building. It extends to the front of the building where there are the remains of a coal bin and a coal chute to the front sidewalk. The floor is stone set in sand without mortar.

Ground Level - Consists of a large front room with windows opening into a large well recessed approximately $2\frac{1}{2}$ feet below the pavement level. There is a fireplace with simple wood mantel; the opening is framed with Italian marble

FHR-8-300A (11/78)

UNITED STATES DEPARTMENT OF THE INTERIOR HERITAGE CONSERVATION AND RECREATION SERVICE

FOR HCRS USE ONLY RECEIVED DATE ENTERED '

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

10, 12, 14, and 16 East Chase Street Baltimore City

CONTINUATION SHEET Maryland

ITEM NUMBER

PAGE 2

DESCRIPTION, continued

Behind this room is a large hallway where the main staircase decends. The rear of this level was originally the kitchen of this house and still contains a large open fireplace approximately six feet tall and five feet wide. To the rear of this room is an enclosed area approximately ten feet by six feet, which is unheated and contains laundry tubs. There is a kitchen door which opens into a yard at ground level. The ceiling height of this floor is ten feet.

First Floor - Upon ascending six marble steps, the first floor is entered through double mahogany doors, which are glazed, into a vestibule with a mosaic tile floor. The main front door is a large single mahogany door, and the main entrance hall is floored with alternate oak and cherry boards. To the left is a small parlor with a fireplace framed in Italian marble with a simple wood mantel. To the right is the main staircase and balustrade.

The rear consists of a large, paneled room with a larger fireplace and an ornate wood mantel with double Corinthian columns flanking the marble framing, a patterned frieze, and molded shelf including one row of egg-and-dart. This room opens onto a porch through two sets of double French doors and has access to the yard via a metal ladder. The ceiling height of this floor is fourteen feet.

Second Floor - Upon ascending the steps to the second floor, there is a large hall with hardwood flooring. The front room is quite spacious. An ornately carved mahogany mantel and Italian marble facing trim a large fireplace. The rear of the building contains a comparable room with marble framed fireplace and a more simple mantel, as well as a full bath.

Third Floor - On the third floor the room layout is identical, except that the rear room does not have a fireplace. Ceiling height is approximately fourteen feet at this level.

Fourth Floor - The fourth floor has a smaller hallway area and consists of three bedrooms and baths which were servants' rooms. The ceiling height at this level is approximately ten feet. There is a skylight above the stairwell, and the rear room also has a small skylight. Access to the roof is obtained via a steep stairway.

B-1666 & B-1667

8. Significance

Period prehistoric 1400–1499 1500–1599 1600–1699 1700–1799 X 1800–1899 1900–	Areas of Significance—C — archeology-prehistoric — archeology-historic — agriculture — x architecture — art — commerce — communications	heck and justify below community planning conservation economics education engineering exploration/settlement industry invention	landscape arc law literature military music philosophy politics/govern	nment	religion science sculpture social/ humanitarian theater transportation other (specify)
Specific dates	circa 1870-1875	Builder Architect E. Fr	ancis Baldwin	and/or	Bruce Price

Statement of Significance (in one paragraph)

SIGNIFICANCE

The buildings at 10 and 12-16 East Chase Street are examples of the many rowhouses located in Baltimore. Number 10 is a typical Baltimore rowhouse of the second half of the 19th century. With its plain brickwork and amply windows with splayed brick lintels and stone sills, strong corbeled cornice, second Empire-like roof covered with patterned statework, it is a form seen in many similar variations around the late third quarter of the 19th century.

The buildings at 12-16 East Chase Street are, in contrast, more distinctive, showing what intricacies could be wrought if the owner desired. This three-part structure is believed to have been designed by Bruce Price and/or E. Francis Baldwin, architects of neighboring Christ Church. The group is a fine example of the Gothic Revival as interpreted for domestic architecture: ashlar stonework; paired Gothic windows; large, basically pointed arches, constructed of large voussoirs and keystones, over windows and doors; mansard roof with dormers with jerkinhead roofs; and good Italianate detail, such as the cornice and interior trim.

Baltimore is a city well-know for its rowhouses, and these fine examples, both typical and unusual, will continue in use, now as apartments.

HISTORY

The construction of these buildings is intimately related to the stewardship of James Hooper, Jr., a merchant miller, who purchased considerable land in the vicinity of Chase Street from theBaltimore City Water Board. In 1870 Mr. Hooper provided the land at the corner of St. Paul and Chase Streets for Christ Protestant Episcopal Church, the second oldest congregation in Baltimore City, to construct their fine, rugged Gothic buildings. Throughout the 1870s, Mr. Hooper's name also appears in the records of conveyances for the Chase Street lots. This supports information provided by the present recoff Christ Church to the effect that the land on which the buildings stand was originally intended for use by the church. According to the rector's understanding of his church's history, land was held in trusteeship for the church by Hooper and another church member, William H. Perot, but it was claimed by their heirs in later years and did not pass into the church's hands. Despite original intentions, the land was privately developed for residential use.

It is believed that the Chase Street houses were constructed during the early 1870s, comparable to the time of the erection of Christ Church. It is highly likely that E. Francis Baldwin and Bruce Price, the architects of Christ Church, provided the design these buildings. Baldwin, an important late 19th century Baltimore architect, is reknowned for projects such as the B & O Roundhouse and, with Josias Pennington, the Maryland Club, Mount Royal Station, and the Fidelity Building. Bruce Price, whose most notable architectenterprise in Baltimore was his contribution to Christ Church, went on to receive national and international recognition for his designs.

FHR-8-300A (11/78)

UNITED STATES DEPARTMENT OF THE INTERIOR HERITAGE CONSERVATION AND RECREATION SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

FOR HCRS	USE ONLY
RECEIVED	
DATE ENT	ERED.

10, 12, 14, and 16 East Chase Street Baltimore City

CONTINUATION SHEET Maryland

ITEM NUMBER 8

PAGE 3

SIGNIFICANCE, continued

Born in Cumberland, Maryland, Price came to Baltimore and studied as a draftsman under the architects Niernsee and Neilson from 1864 to 1868. He practiced architecture with Pennington from 1869 to 1872, and by 1877 he had moved to New York to accomplish his major works. His most significant projects outside of Baltimore include the Cathedral in Savanna, Georgia; the Lee Memorial in Lexington, Virginia; cottages and clubhouses at Tuxedo Park in New York; the American Surety Company Building and the St. James Company Building in New York City; the Osborn Memorial at Yale College in New Haven: and the Chateau Fontenac in Quebec. He invented, patented, and built parlor bay window cars for the Pennsylvania and Boston, and the Albany Railroads, and he is also remembered as the author of A Large County House (1887). Price's name appears in land records for the Chase Street lots at the approximate time of the construction of the buildings. It is known that he lived at 14 East Chase Street during his stay in Baltimore, which also supports the case that the building designs were his.

Price's daughter was the internationally famous authority on social graces, Emil Price Post. A native Baltimorean, Mrs. Post was born at 14 East Chase Street, the central house of the Chateauesque trio. While famous as the authoress of Etiquette: The Blue Book of Social Usage and Children Are People, she also became an architectural consultant in later years, sharing her father's enthusiasm for building design.

This unit block of East Chase Street continued to be a prestigious residential segment of the Mount Vernon area. William Pinkney Whyte, who had served as governor of the State of Maryland, State Senator, and seven times Mayor of Baltimore, lived across the street at 9 East Chase. Mr. Al Gorter, Mrs. William Manly, and Mrs. William George Brown are among the residents of the area listed in the 1890-91 Blue Book.

In 1903 the majestic Belvedere Hotel was constructed in proximity to the early townhouses. In more recent years, the Monumental Life complex was added to this diversified streetscape. The unit block of East Chase Street is significant as a noteworthy residential and social center in Baltimore since its earliest years.

9. Major Bibliographical References

B-1666 & B-1667

SEE CONTINUATION SHEET #4

)					
10. Geograp	hical Data				
Acreage of nominated prope Quadrangle name <u>Baltin</u> UMT References	- The state of the	approximatel	0	n one acre Duadrangle scale <u>1:240</u>	00
A 1 8 3 6 0 7 0 0 Zone Easting	4 ₁ 3 5 ₁ 1 4 ₁ 3 ₁ 0 Northing	B	ne Easting	Northing	Ц
C		D			
Verbal boundary descript Bounded on the west extending for 100' e 120' to the rear of to west side of Love List all states and counti	ast on Chase Streethe property, tur	et to Christ ning west fo	Episcopal r 100', fol	Church. Then procee lowing the rear pro	d due nort
state	code	county		code	
state	code	county		code	
name/title Edgar L.	Green, Jr., Frank		r	March 5, 1979	
8 10000 200 200 2000	ase Street		telephone	(301) 837-5103	
city or town Baltimor	'e		state	Maryland 2120	12
12. State Hi		ervatio	n Offic	er Certificat	tion
The evaluated significance of national As the designated State History	state	_X_ local	dictorio Process	ration Act of 1966 (Public I	
665), I hereby nominate this paccording to the criteria and	property for inclusion in to procedures set forth by t	he National Reg	ster and certify	that it has been evaluated decreation Service.	
State Historic Preservation O	/	+ CUTO		12-28-79	
	STORIC PRESERVATIO	N OFFICER		date	
For HCRS use only I hereby certify that this	s property is included in	the National Reg	ister		
				date	
Keeper of the National Reg	ster	3			
Attest:				date	
Chief of Registration					

UNITED STATES DEPARTMENT OF THE INTERIOR HERITAGE CONSERVATION AND RECREATION SERVICE

FOR HCRS USE ONLY
RECEIVED
DATE ENTERED.

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

10, 12, 14 and 16 E. Chase Street Baltimore City

CONTINUATION SHEET Maryland

ITEM NUMBER 9

PAGE 4

MAJOR BIBLIOGRAPHICAL REFERENCES

Appleton's Cyclopedia of American Biography, Vol. V. New York: D. Appleton and Company, 1888.

Baltimore American, "Baltimore Neighborhood Memories," April 26, 1936.

Baltimore City Directory, 1890. Baltimore: R. L. Polkand Company, 1890

Baltimore Sunpapers, "Emily Post Price," September 27, 1960.

Dictionary of American Biography, vol. XV. New York: Charles Scribner's Sons, 1935.

Glenn, John, Jr. History of Christ Church. Baltimore, 1890.

Graybill, James, Jr. Bruce Price: American Architect 1845-1903. Yale, 1957.

Society Visiting List of 1889 and 1890. Baltimore: Thomas E. Lycett and Company, 1889.

Walsh, Richard and William Lloyd Fox, editors. Maryland: A History, 1632-1974.

Baltimore: Maryland Historical Society, 1974.

Who Was Who in America. Vol. I 1897-1942, Chicago: A. N. Marquis Company, 1942.

Woods Baltimore Directory, 1873. Baltimore: John S. Woods, 1873.

Land Records of Baltimore City.





B-1666 B-1667 10+12-16 E. Chase St. (B)

B-1666, 1667

Date

Form Approved OMB No. 42-R1765

UNITED STATES DEPARTMENT OF THE INTERIOR Heritoge Conservation and Recreation Service Office of Archeology and Historic Preservation Washington D.C. 20243



Signature

Keeper of the National Register

HISTORIC PRESERVATION CERTIFICATION APPLICATION — PART 1

(Pursuant to the Tax Reform Act of 1976)

Instructions: Applicant should read the instructions carefully before completing application. No Certification may be made unless a completed application form has been received (P.L. 94-455). Use typewriter or print clearly in dark ink to complete the application form. If additional space is needed to complete Part 1, use the reverse side or a separate plain sheet of paper clearly indicating the owner's name and mailing address. Part 1 of this application may be completed and sent to the appropriate State Historic Preservation Officer at any time during the year, and may be sent separately or with Part 2.

10 12 14 16 East Chasta Stroot	
1. NAME OF PROPERTY: 10, 12, 14, 16 East Chaste Street	
Address of property: Street 10, 12, 14, 16 Fast Chase Street	
city Baltimore county State Mi	aryland zip Code 21202
Name of historic district in which property is located: Mt. Vernon	
2. DESCRIPTION OF PHYSICAL APPEARANCE:	
(see instructions for map and photograph requirements—use reverse side if necessary)	
(See Attachment "A")	
3. STATEMENT OF SIGNIFICANCE:	
(use reverse side if necessary)	
(See Attachment "B")	
Date of construction (if known): 1870 X Original site	of alterations (if known):
4. NAME AND MAILING ADDRESS OF OWNER:	
Name Edgar L. Green, Jr. and Franklin R. Foster	9
16 East Chase Street	
Street	W 1 1 21202
City Baltimore	State Maryland Zip Code 21202
Telephone Number (during day): Area Code (301) 837-5103	
I hereby attest that the intermation I have provided is, to the best of my knowledge, correct, and that I a	am owner of the property described above
Signature Allah Franch Franch Fort	Date11/15/79
Harry John 110	0810
For office use only	
For office use only The structure described above is included within the boundaries of the National Register historic district and the district.	contributes does not contribute to the character of
The structure described above is included within the boundaries of the National Register historic district and	^
The structure described above is included within the boundaries of the National Register historic district and the district. The structure opears of does not appear to meet National Register Criteria for Evaluation (36 CFR 60.6) a Register in accord with the Department of the Interior procedures (36 CFR 60). The structure is located in a district which appears of does not appear to meet National Register Criteria for	enc vill likely will not be nominated to the National Evaluation (36 CFR 60.6) will likely will not be nominated to the character of said
The structure described above is included within the boundaries of the National Register historic district and the district. The structure opears of does not appear to meet National Register Criteria for Evaluation (36 CFR 60.6) a Register in accord with the Department of the Interior procedures (36 CFR 60). The structure is located in a district which appears of does not appear to meet National Register Criteria for hated to the National Register in accord with operatment of the Interior procedures (36 CFR 60), an operation of the Interior procedures (36 CFR 60), and operated to the National Register in accord with operatment of the Interior procedures (36 CFR 60), and operated to the National Register in accord with operatment of the Interior procedures (36 CFR 60), and operated to the National Register in accord with operatment of the Interior procedures (36 CFR 60), and operated to the National Register in accord with operatment of the Interior procedures (36 CFR 60), and operated to the National Register in accord with operatment of the Interior procedures (36 CFR 60), and operated to the National Register in accord with operatment of the Interior procedures (36 CFR 60), and operated to the National Register in accord with operatment of the Interior procedures (36 CFR 60), and operated to the National Register in accord with operatment of the Interior procedures (36 CFR 60).	an. vill likely will not be nominated to the National Evaluation (36 CFR 60.6)
The structure described above is included within the boundaries of the National Register historic district and the district. The structure opears of does not appear to meet National Register Criteria for Evaluation (36 CFR 60.6) an appear to the Interior procedures (36 CFR 60). The structure is located in a district which appears of does not appear to meet National Register of the Interior procedures (36 CFR 60), an appear district.	enc vill likely will not be nominated to the National Evaluation (36 CFR 60.6) will likely will not be nominated to the character of said
The structure described above is included within the boundaries of the National Register historic district and the district. The structure opears of does not appear to meet National Register Criteria for Evaluation (36 CFR 60.6) a Register in accord with the Department of the Interior procedures (36 CFR 60). The structure is located in a district which appears of does not appear to meet National Register Commented to the National Register in accord with Department of the Interior procedures (36 CFR 60), an oppear district. Signature	Evaluation (36 CFR 60.6) Fill likely will not be nominated to the National Evaluation (36 CFR 60.6) Full likely will not be nominated to the character of said Date 12-6-79

PHYSICAL APPEARANCE

10, 12, 14, & 16, EAST CHASE STREET



10 East Chase Street

This three and one half story brick townhouse, laid in common bond, has a three bay front façade, and is fitted with marble facing from ground to first floor level. The same marble is used for the entrance stoop and stairway, door framing, and window sills. Plain brick jack arches are above each window, and each row of windows decreases in height with each successive story rise. The most prominent feature of the house is a decoratively shingled Mansard roof and three round-headed windows which are let into it. These windows are framed by projecting arched moldings above, decorative flat brackets at upper and lower sides, and projecting sills below.

The two basement windows are in-filled with ornamental cast-iron grills. Two-over-two lights are used in all other windows of the house, although storm windows have been added. The simple side entranceway is enhanced by the shallow-arched marble frame, and wooden double-door with arched transom, letting into a vestibule. A flattened but extremely wide cornice appears to have resulted from later alterations.

This row of three identical 3 1/2 story two bay wide houses is constructed of green Serpentine marble with contrasting stone detail, and dates c. 1870-75. The main floor of each is entered from a high flight of marble steps running from the house, which leads to a pointed-arched, transomed doorway with double door, each of which is fitted with a single pane of vertical bevelled glass. Above the ground level entranceways, which are separated from the street by decorative iron rails, are shallow projecting balconies which are equipped with iron rails of an identical pattern and supported by three stone brackets (the balcony to #16 has been removed). Opening onto each balcony are two narrow, triple-hung windows with 1/1/1 lights, surmounted by triangular transoms. These pairs of windows are separated by a stone pier capped by what is, roughly, a diamond-shaped stone inset, decorated with a carved quatreat the center. These pairs are surrounded by a bold, shallowly projecting, segmental pointed arch, the ends of which drop to meet a thin, horizontal, projecting molding, which links the system of arches to the hood-moulds of each main entranceway. Other features of the entranceways include chamferred engaged side posts which support tympanums which repeat the carved quatrefoil ornament.

Second story windows are double-hung with 2/2 lights. The six windows are individually surrounded with stone frames which are flush with the facade. Shallow
trefoil-arched xlintels with exaggerated keystones project from the façade and
are linked by a course of stone. Flattened, triangular panels with floral
decoration fill in the central arc below each lintel at the window surface
level. The third story windows are similarly, individually framed, having pinted,
see ntal-arched lintels which project at equal distance with a course of stone.

Double-hung windows with 2/2 lights are topped with flat, triangular transoms.

The elaborate cornice, which returns on the detached end of the row, reinforces the pattern of the bays with double sets of spindle brackets separating the six trefoil cutouts above each window bay. At the attic level, six distinctive hipped-roofed dormers have double-hung windows, with 2/2 lights and triangular transom, above which are a pair of stubby brackets. Decorative shingling on the Mansard roof is carried to the jerkinhead of each dormer, where quatrefoils are picked out in shingling material. Cast-iron floral finials terminate each dormer peak. A band of decorative iron work, making use of the quatrefoil as the chief element in an ornamental motif, completes the composition at roofline.





PHOTO #2

Front view, looking west on Chase St.

#16 (next to Christ Church), #14, #12, and #10 (on corner of Chase and Lovegrove). Monumental Life Insurance Co. on Chase, west of Lovegrove.

PHOTO #1

Front view, looking east on Chase St.

#10 (on corner of Lovegrove and Chase), #12, #14 and #16. Christ Church at corner of St. Paul and E. Chase St.





PHOTO #4

Rear view, looking south, of (1. to r.) #16, #14, #12 and #10.

PHOTO #3

Rear view of #16, #14 and #12, looking south.

Easement

MAG1#0416665904 B-1666

MARYLAND HISTORICAL TRUST WORKSHEET

NOMINATION FORM

for the

NATIONAL REGISTER OF HISTORIC PLACES, NATIONAL PARKS SERVICE

-	NAME COMMON:	•		
	10 E. Chase Stre	eet		
	AND/OR HISTORIC:	1.		
2	LOCATION			
	STREET AND NUMBER:	*		
	10 E. Chase Stre	eet		
	CITY OR TOWN:			
	Baltimore			
	STATE	COUNTY:		
(US - US -	Maryland			
3.	CLASSIFICATION			
	CATEGORY (Check One)	OWNERSHIP	STATUS	ACCESSIBLE TO THE PUBLI
	District Building Public	Public Acquisition:	☑ Occupied	Yes:
	Site Structure Private	☐ In Process	Unoccupied	Restricted
	Object Both	☐ Being Considered	Preservation work	☐ Unrestricted
	- Soleti		in progress	□ No
100		-1-12	20 4004(0,000)	
)	PRESENT USE (Check One or More as Appro		en eve	
	Agricultural Government		Transportation	☐ Comments
	Commercial Industrial		Other (Specify)	
	☐ Educational ☐ Military	Religious		
	☐ Entertainment ☐ Museum	☐ Scientific		
4.	OWNER OF PROPERTY TOWNER'S NAME:			
	Franklin R. Fors	ster et si		
	STREET AND NUMBER:			
	10 E. Chase Stre	eet		
	CITY OR TOWN:	STATE:		
	Baltimore	11 277	<i>r</i> land	2120
6	LOCATION OF LEGAL DESCRIPTION	11011	10110	
Territoria.	COURTHOUSE, REGISTRY OF DEEDS, ETC:			
	Records Office,	Room 601 Title Re	ef: JFC 15	27-614
	STREET AND NUMBER:	1100m 001 11010 11	7/25/6	
	Baltimore City (Courthouse	1/ = 5/ 0.	
	CITY OR TOWN:	STATE		
	Baltimore	Mar	/land	21202
	Title Reference of Curr	ent Deed (Book & Pg	#1. TEC 15	
6.	REPRESENTATION IN EXISTING SURVE	YS	7/25/6	
P.CO.	TITLE OF SURVEY:		1/22/0	3
	City of Baltimor	e Neighborhood Surv	ρV	
		THE THE PERSON NOT A	- 1	
	DATE OF SURVEY: 1975	☐ Federal ☐ State	County S	Local
	DATE OF SURVEY: 1975 DEPOSITORY FOR SURVEY RECORDS:	☐ Federal ☐ State	☐ County 🗓	Local
	DATE OF SURVEY: 1975 DEPOSITORY FOR SURVEY RECORDS:	istoirical And Arch		
	DATE OF SURVEY: 1975 DEPOSITORY FOR SURVEY RECORDS: Commission for H: STREET AND NUMBER:			

	I			(Chec	k One)		
	☐ Excellent [⊋ Good	☐ Fair	☐ Dete	riorated	Ruins	Unexposed
CONDITION		(Check On	(e)			(Che	ck One)
	Altered		☐ Uncliered			Moved	Original Site

This three and one half story brick townhouse, laid in common bond, has a three bay front facade, and is fitted with marble facing from ground to first floor level. The same marble is used for the entrance stoop and stairway, door framing, and window sills. Plain brick jack arches are above each window, and each row of windows decreases in height with each successive story rise. The most prominent feature of the house is a decoratively shingled Mansard roof and three round-headed windows which are let into it. These windows are framed by projecting arched moldings above, decorative flat brackets at upper and lower sides, and projecting sills below.

The two basement windows are in-filled with ornamental castiron grills. Two-over-two lights are used in all other windows of the house, although storm windows have been added. The simple side entranceway is enhanced by the shallow-arched marble frame, and wooden double-door with arched transom, letting into a vestibule. A flattened but extremely wide cornice appears to have resulted from later alterations.

LINIOD	(Check One or More as A) Pre-Columbian 15th Century	☐ 16th Century ☐ 17th Century	☐ 18th Century ☐ 19th Century	☐ 20th Century
SPECIFI	C DATE(S) (If Applicable	and Known)		
	Abor iginal Prehistoric Historic Agriculture Architecture Aft Commerce Communications Conservation	k One or More as Appropriate, Education Engineering Industry Invention Landscape Architecture Literature Military Music	Political Religion/Philosophy Science Sculpture Social/Humanitarian Theater Transportation	Urban Planning Other (Specify)
TATEMI	See 1110 St.	Paul Street.		
				Augus Was
	,			
		~		
	25			

	JAC NEI I	RENCES	•						
¥									
GEOGRAPHICAL DAT	A								
LATITUDE AND L	ONGITUDE		0	LATITUDE AND LONGITUDE COORDINATES DEFINING THE CENTER POINT OF A PROPERTY					
CORNER LATITUDE		LONGITUDE	R	OF LESS TH	LONGITUDE				
Degrees Minutes S	econds De	agrees Minutes Second	s	Degrees Minutes Seconds					
NW O	•								
SE °	•								
APPROXIMATE ACREAGE	OF NOMIN	ATED PROPERTY:	-		!				
					*				
FORM PREPARED BY	1000								
Billy Pence	k, Pla	nning Assi	sta	nt					
Commission	for Hi	st. and Ar	ch.	Pres.	10/75				
STREET AND NUMBER:			2+2	200+					
Dag 000 2	5 5011+	h (c) mont) U L	000					
Room 900, 2	5 Sout	h Calvert		STATE					
Baltimore				Maryland					
Baltimore				Maryland					
Baltimore State Liaisor	offi	cer Review:		Maryland Office Use Only					
Baltimore State Liaisor	offi		rty	Maryland Office Use Only is:	212				
Baltimore State Liaisor Significar	offi	cer Review: this prope	rty	Maryland Office Use Only is:					
Baltimore State Liaisor Significar	offi	cer Review: this prope	rty	Maryland Office Use Only is:					

RE VISIONS
Lots, 1/3, 4 perapp 3104, 5, C Sn 1630.
Lot 17 Divided per deed C.Sh 3/91.
Lets 175, 25 Divis, Channed Per B.S.C., 5h, 4446 A.
Let II, 12(13 Course Per E. D. J. Freer, 5 or 8410
Lot 18 Ho. No. Par Field, PLD; C.Sh. 9230-A
Lots 18, 20(21 Com'd Pero O C.Sh. 9424 Lets 1-10 + 11/19 CONTUPER OO C.SH. 9056 E. BIDDLE ST. ST. ST 0 14 . 15 16 17 N. CHARLES 18 Christ P.E.Church 30 ***>** ST. E. CHASE CITY OF HALTIMORE DEPARTMENT OF PUBLIC WORKS BUREAU OF PLANS & SURVEYS .. PHOPERTY LOCATION DIVISION THIS IS A REAL FIRST STY THAT AS A COPPLE WARD 11 SECTION 12 FORUNCEH APITAL A TRANSPORTER THACED BY Moorchead IT I CONTRACT TO THE PROPERTY OF THE вьоск 496 Lettenen undos. / Fokusky

FREEHERING ALLIFE

B-1666 10 E. Chase Street Block 0496, Lot CO0496 Baltimore City Baltimore East Quad.






B-1666

CBThompson July,1975 NE6.15 BLK 496

Easement



MARYLAND HISTORICAL TRUST WORKSHEET

NOMINATION FORM

for the NATIONAL REGISTER OF HISTORIC PLACES, NATIONAL PARKS SERVICE

	NAME				ĺ
200	COMMON:	•			
	12-16 E. C	hase Street			
	AND/OR HISTORIC:				
20.00					
2.	LOCATION				
	STREET AND NUMBER:				
	12-16 E. C	hase St.			
	Sale Salve IVI				
	Baltimore	Ice	OUNTY:		
10	Maryland CLASSIFICATION	•			
43.	CATEGORY	T Total	T T	ACCESSIBLE	
	(Check One)	OWNERSHIP	STATUS	TO THE PUBLIC	
	☐ District 🖾 Building	☐ Public Public Acquisition	: Occupied	Yes:	
	Site Structure	Private In Proces	Control of the contro	Restricted	
	☐ Object	☐ Both ☐ Being Co	THE SECOND SECON	☐ Unrestricted	
]		in progress	™ No	
	PRESENT USE (Check One or A	fore as Appropriate)			
		overnment Park		□ C	
100		dustrial Private Residence	☐ Transportation ☐ Other (Specify)	☐ Comments	Ĭ
		ilitary Religious	Ciner (Specify)		
	☐ Entertoinment ☐ Mi				
100	OWNER OF PROPERTY	Control of States Control of States (States Control of States Cont			
	OWNER'S NAME:		-		
	Henning A.	Trebler and Wife			
	STREET AND NUMBER:				
	12-16 E. Ch	ase Street			
	CITY OR TOWN:		STATE:		
	Baltimore		Maryland	21202	
5.	LOCATION OF LEGAL DESC			Z.	
	COURTHOUSE, REGISTRY OF				
	MECOTOS UII	ice, Room 601			
	CONTRACTOR OF CONTRACTOR CONTRACT	ity Courthouse			
	CITY OR TOWN:	Tty Courthouse	STATE	- r	
	Baltimore		Maryland	07.000	
		of Current Deed (Boo)	k & Pa #1. BATD 6	21202	0/4/40 /
6	REPRESENTATION IN EXIST	ING SURVEYS		407 - 181 / E	70/4/42
10000	TITLE OF SURVEY:		AN PRACTION OF STATE OF A CONTRACT OF STATE OF A PROCESS OF STATE OF STATE OF STATE OF STATE OF STATE OF STATE	436-508	8/4/42 (12/18/42 (10/18/55 (
	City of Bal	timore Neighborhood	Survey	430-500	10/10/22 (
	DATE OF SURVEY: 197	5 Gederal		Local	
	DEPOSITORY FOR SURVEY RE		11		
	Commission	for Historical and	Architectural Pre	servation	
	STREET AND NUMBER:		**************************************		
	Room 900, 2	6 South Calvert Stre	eet		
	CITY OR TOWN:		STATE:		
	Baltimore		Marvland	21202	1

				(Check	One)		
CONSTIGN	Excellent	☐ Good	☐ Fair	☐ Deter	iorated	Ruins	☐ ·Unexposed
CONDITION		(Check Or	ne)			(Che	ck One)
	☐ Alte	red	☑ Uncltered	1		Moved	Original Site


This row of three identical 3½ story two bay wide houses is constructed of green Serpentine marble with contrasting stone detail, and dates c. 1870-75. The main floor of each is entered from a high flight of marble steps running from the house, which leads to a pointed-arched, transomed doorway with double door, each of which is fitted with a single pane of vertical bevelled glass. Above the ground level entranceways, which are separated from the street by decorative iron rails, are shallow projecting balconies which are equipped with iron rails of an identical pattern and supported by three stone brackets (the balcony to #16 has been removed). Opening onto each balcony are two narrow, triple-hung windows with 1/1/1 lights, surmounted by triangular transoms. These pairs of windows are separated by a stone pier capped by what is, roughly, a diamond-shaped stone inset, decorated with a carved quatrefoil at the center. These pairs are surrounded by a bold, shallowly projecting, segmental pointed arch, the ends of which drop to meet a thin, horizontal, projecting molding, which links the system of arches to the hood-moulds of each main entranceway. Other features of the entranceways include chamferred engaged side posts which support tympanums which repeat the carved quatrefoil ornament.

Second story windows are double-hung with 2/2 lights. The six windows are individually surrounded with stone frames which are flush with the facade. Shallow trefoil-arched plintels with exaggerated keystones project from the facade and are linked by a course of stone. Flattened, triangular panels with floral decoration fill in the central arc below each lintel at the window surface level. At the third story windows are similarly, individually framed, having pinted, segmental-arched lintels which project at equal distance with a course of stone. Double-hung windows with 2/2 lights are topped with flat, triangular transoms.


The elaborate cornice, which returns on the detached endof the row, reinforces the pattern of the bays with double sets of spindle brackets separating the six trefoil cutouts above each window bay. At the attic level, six distinctive hipped-roofed dormers have double-hung kwindows, with 2/2 lights and triangular transom, above which are a pair of stubby brackets. Decorative shingling on the Mansard roof is carried to the jerkinhead of each dormer, where quatrefoils are picked out in shingling material. Castiron flaral finials terminate each dormer peak. A band of decorative iron work, making use of the qutrefoil as the chief element in an ornamental motif, completes the composition at roofline.


PERIOD (Check One or More as A Pre-Columbian 15th Century	☐ 16th Century ☐ 17th Century	☐ 18th Century ☐ 19th Century	20th Century
SPECIFIC DATE(S) (If Applicable	and Known)		
REAS OF SIGNIFICANCE (Chec		nte)	
Aboriginal Prehistoric Historic Agriculture Architecture	Education Engineering Industry Invention Landscape	Political Religion/Phi- Iosophy Science Sculpture	Urban Planning Other (Specify)
☐ Art ☐ Commerce	Architecture Literature	Social/Human-	
☐ Communications	☐ Military	☐ Theater	
☐ Conservation	☐ Music	□ Transportation	
See 1110 St.	Paul Street.		

CEOC	RAPHICAL	DATA		A 5180 (1.7.9)	Section 1	1 3 3 9 5 9 5 3								
	LATITUDE	AND LON					T.	_					COORDINA	
DEFIN	ING A REC	TANGLE	LOCA	TING	THEP	ROPER	0.000	O R	DEF		F LESS TH		OF A PROF	PERTY
CORNER		TITUDE				ITUDE		-	5	LATITUE		-	LONGITU	-
NW	Degrees Mi	nutes Seco	onds	Degree	os Mini	utes Sec	conds	1	Degrees	Minutes ,	Seconds	Degree	s Minutes	Second
NE	•	•0	-		0		-	1						
SE		•			0	•	-	1						
APPROX	IMATE ACE	REAGE OF	NOM	INATE		OPERT	Y:	- 1						
1														
×														
	A PREPAR												4	
NAME A	ND TITLE		pı	ann	iins	r Age	sist.	an	nt				·	•
NAME A Bi	ILY Pe	ncek,				***************************************						DA	TE	•
Bi ORGANI	lly Pe	ncek,				***************************************							re 10/75	•
NAME A Bi ORGANI COI	ILY Per IZATION MMISSI	on fo	r E	list	; <u> </u>	ind A	Arch	•	Pres					•
ORGANI COI STREET	lly Pe	on fo	r E	list	; <u> </u>	ind A	Arch	re	Pres	•				
NAME A Bi ORGANI COI STREET RO CITY O	ILY Person mmissi om 900 r town:	encek, on fo	sou	list ith	cal	nd A	Arch t St	re	Pres	vlan	3.			212
NAME A Bi ORGANI COI STREET RO CITY O	ILY Person mmissi om 900 r town:	encek, on fo	sou	list ith	cal	nd A	Arch t St	re	Pres	vlan	d e Only			212
RO CITY O Ba	ILY Person MMISSI OM 900 R TOWN: te Lia	encek, on fo ber: 0, 26	Sou	ice:	Cal	ver	Arch t St w:	re	Pres	vlan	d e Only			212
RO CITY O Ba	ILY Person mmission 900 rown: I timor Signif	on fo	Sou	list th ice:	Cal r Re	ver	Arch t St w: pert	re s	Pres	vlan	d e Only			212
RO CITY O Ba	ILY Person mmission 900 rown: I timor Signif	encek, on fo ber: 0, 26	Sou	list th ice:	Cal	ver	Arch t St w:	re s	Pres	vlan	d e Only			212
RO CITY O Ba	ILY Person mmission 900 rown: I timor Signif	on fo	Sou	list th ice:	Cal r Re	ver	Arch t St w: pert	re s	Pres	vlan	d e Only			212



B-1667 12-14-16 E. Chase Street Block 0496, Lot CO0496 Baltimore City Baltimore East Quad.





16 E. CHASE.

B-1667

CBThompson July, 1975

NEG.12

B-X-49



14 E.CHASE. B-1667

CBThompson July, 1975

BK496

NEG.13



B-1667

12 E.CHASE,

CBThompson
BLK496